


Comparison List

Stainless Steel & Nickel Alloy

Stick Electrodes




LINCOLN ELECTRIC				GRI-TEC	Elga	AvestaPolarit	Böhler WELDING
AWS A5.4		EN 1600-97					
General Purpose Austenitic Stainless steel				ITW Group		Böhler Uddeholm	
Arosta 304L	E308L-16	E 19 9 L R 12	Grinox 202	Cromarod 308LP	308L/MVR-PW	308L/MVR Rutile	Fox EAS2-TS
Limarosta 304L	E308L-16*	E 19 9 L R 12	Grinox 502	Cromarod 308L	308L/MVR AC/DC	308L AC/DC	Fox EAS2-A
Vertarosta 304L	E308L-15	E 19 9 L R 21	Grinox 56	Cromarod 308LV	308L/MVR-VDX		Fox EAS2-VD
Jungo 304L	E308L-15	E 19 9 L B 22	Grinox 1		308L/MVR-Basic		Fox EAS2
Limarosta 304L 130	E308L-16*	E 19 9 L R 53		Cromarod 308L-140	308L/MVR-HX		
Arosta 316L	E316L-16	E 19 12 3 L R 12	Grinox 210	Cromarod 316LP	316L/SKR-PW	316L/SKR Rutile	Fox EAS4M-TS
Limarosta 316L	E316L-16*	E 19 12 3 L R 12	Grinox 510	Cromarod 316L	316L/SKR AC/DC	316L AC/DC	Fox EAS4M-A
Vertarosta 316L	E316L-15	E 19 12 3 L R 21	Grinox 57	Cromarod 316LV	316L/SKR-VDX		Fox EAS4M-VD
Jungo 316L	E316L-15	E 19 12 3 L B 22	Grinox 9		316L/SKR-Basic		Fox EAS4M
Limarosta 316L 130	E316L-16*	E 19 12 3 L R 53		Cromarod 316L-140	316L/SKR-HX		
Arosta 316LP	E316L-16	E 19 12 3 L R 12		Cromarod 316LP	316L/SKR-PWX (4D)		
Stabilized Austenitic Stainless Steel							
Arosta 347	E347-16	E 19 9 Nb R 12	Grinox 507	Cromarod 347	347/MVNb AC/DC		Fox SAS2-A
Jungo 347	E347-15	E 19 9 Nb B 22	Grinox 506		347/MVNb Basic		Fox SAS2
Arosta 318	E318-16	E 19 12 3 Nb R 12	Grinox 514	Cromarod 318	318/SKNb AC/DC		Fox SAS4-A
Jungo 318	E318-15	E 19 12 3 Nb B 22	Grinox 513		318/SKNb Basic		Fox SAS4
Fully Austenitic Stainless Steel							
Arosta 4439	n.a	E 18 16 5 N L R 32	Grinox 36	Cromarod 317L	317L/SNR AC/DC; SLR AC/DC		Fox ASN5-A
Jungo 4439	n.a	E 18 16 5 N L B 22			SLR-NF		Fox ASN5
Jungo 4455	n.a	E 20 16 3 L Mn B 22	Grinox 51		P6 Basic		
Jungo 4465	E310Mo*	E 25 22 2 N L B 22	Grinox 67		254 SFER		
Jungo 4500	E385-16*	E 20 25 5 Cu N L R 12	Grinox 65	Cromarod 385	904L AC/DC / 904L-PW AC/DC		Fox CN 20/25M (-A)
Austenitic-Ferritic (Duplex) Stainless Steel							
Arosta 4462	E2209-16*	E 22 9 3 N L R 32	Grinox 62	Cromarod Duplex	2205 AC/DC	2205-PW AC/DC	Fox CN 22/9N
Jungo 4462	E2209-15	E 22 9 3 N L B 22	Grinox 33	Cromarod Duplex B	2205 Basic		Fox CNB 22/9N
Arosta 4462-145	E2209-16*	E 22 9 3 N L R 53		Cromarod Duplex-140	2205-HX		
Jungo SD2509	E2553-15*	E 25 9 4 N L B 42					
Jungo Zeron 100X	E2553-15*	E 25 9 4 N L B 42		Cromarod 2507 B	2507/P100		
				Cromarod 2507 R			
Buffer, Maintenance & Repair Stainless Steel							
Arosta 309S	E309L-16	E 23 12 L R 32		Cromarod 309L			Fox CN 23/12-A
Limarosta 309S	E309L-16*	E 23 12 L R 32	Grinox 73		309 AC/DC	309L AC/DC	
Vertarosta 309	E309L-15	E 23 12 L R 21			P5-VDX		
Jungo 309S	E309L-15						
Arosta 309Nb	E309Nb-16*	E 23 12 Nb R 32					
Arosta 309Mo	E309MoL-16	E 23 12 2 L R 32	Grinox 53	Cromarod 309MoL	P5 AC/DC	P5 PW AC/DC	Fox CN 23/12 Mo-A
					P5-PWX AC/DC		
Nichroma	E308MoL-16*	E 20 10 3 R 32	Grinox 54				Fox CN 19/9 M
Nichroma 160	E309MoL-26*	E 23 12 2 L R 53*	Grinox 153	Cromarod 309MoL-S	P5 HX AC/DC		
				Cromarod 309MoL-150			
				Cromarod 309L-140			
Limarosta 312	E312-16*	E 29 9 R 12	Grinox 29	Cromarod 312	P7 AC/DC	P7-PW AC/DC	Fox 29/9-A
Arosta 307	E307-16*	E 18 8 Mn R 12	Grinox 26		307 AC/DC		Fox A 7-A
Jungo 307	E307-15*	E 18 8 Mn B 22	Grinox 25	Cromarod 307B			Fox A7
Reptec 126	E307-26*	E 18 8 Mn R 53	Grinox 126				
High Temperature Resistant Stainless Steel							
Arosta 304H	E308H-16*	E 19 9 H R 12		Cromarod 308H	308/308H AC/DC		Fox AS2-A
Arosta 309H	E309-16*	E 23 12 R 32*	Gritherm 44	Cromarod 253			
Intherma 310	E310-16	E 25 20 R 12	Gritherm 46	Cromarod 310	310 AC/DC		
Intherma 310B	E310-15*	E 25 20 B 12	Gritherm 47		310 Basic		
Arosta 329		E 25 4 R 12*	Gritherm 48				Fox FA
NiCro 31/27	E383-16*	E 27 31 4 Cu L R 12		Cromarod 383	383 AC/DC		
NiCro 32/20	n.a.						
NiCro 38/25							
Nickel Alloys							
NiCro 60/20	E NiCrMo-3	E Ni6625	Grini 209		P625 Basic		Fox NIBAS 625
NiCro 70/15	E NiCrFe-2*	E Ni6182	Grini 7				
NiCro 70/15Mn	E NiCrFe-3	E Ni6182	Grini 207	Cromarod 82	P10 Basic		Fox NIBAS 70/15
NiCro 70/19	E NiCrFe-2*	E Ni6082		Cromarod 625			Fox NIBAS 70/20
NiCroMo 59/23	E NiCrMo-13	E Ni6059	Grini 18S	Cromarod 59	P16 Basic		
NiCu 70/30	E NiCu-7	E Ni4060	Grini 5				
Nyloid 2	E NiCrMo-6	E Ni6620					
Nickel 96	E Ni-1		Grini 2				
NiCro 42/25		E NiCr26Mo					
NiCro 65/15	E NiCrMo-7						
NiCrMo 60/16	E NiCrMo-4	E Ni6267					
	E NiCrCoMo-1	E NiCr21Co12Mo	Gritherm 85 R				
Reptec 34							
PvE.2005 Comparison list SS & Ni							

	AWS A5.4					
General Purpose Austenitic Stainless		Böhler Uddeholm	Böhler Uddeholm	Böhler Uddeholm	Böhler Uddeholm	
Arosta 304L	E308L-16		6820Lc	Supercrom A308L	Hilchrome 308R	Finox 4316 AC
Limarosta 304L	E308L-16*	Thermanit JEW 308L-17		Supercrom 308L		
Vertarosta 304L	E308L-15					
Jungo 304L	E308L-15	Thermanit JE Spezial	68(Lc)Kb			
Limarosta 304L 130	E308L-16*		308L Fe Hp	Comet 308L		
Arosta 316L	E316L-16			Soudcrom B316L	Hilchrome 316R	Finox 4430 AC
Limarosta 316L	E316L-16*	Thermanit GEW 316L-17		Supercrom 316L		
Vertarosta 316L	E316L-15	Thermanit GEW/F	6820MoLc	Soudcrom BD	Hilchrome 316R-V	
Jungo 316L	E316L-15	Thermanit GE Spezial	68MoLcKb			
Limarosta 316L 130	E316L-16*			Comet 316L		
Arosta 316LP	E316L-16					
Stabilized Austenitic Stainless Steel						
Arosta 347	E347-16	Thermanit HEW	6820Nb	Soudocrom F347	Hilchrome 347R	Finox 4551 AC
Jungo 347	E347-15	Thermanit HE Spezial				Finox 4551 B
Arosta 318	E318-16	Thermanit AW	68Mo		Hilchrome 318R	Finox 4576 AC
Jungo 318	E318-15	Thermanit A Spezial				
Fully Austenitic Stainless Steel						
Arosta 4439	n.a	Thermanit 18/17 EW				
Jungo 4439	n.a	Thermanit 18/17 E				
Jungo 4455	n.a	Thermanit 19/15 H (19/15 W) Thermanit 20/16 (20/16 SM)				
Jungo 4465	E310Mo*	Thermanit 25/22 H				
Jungo 4500	E385-16*	Thermanit 20/25Cu (20/25CuW)		Soudocrom S6		Finox 4519 AC
Austenitic-Ferritic (Duplex) Stainless						
Arosta 4462	E2209-16*	Thermanit 22/09W		Soudocrom S4462	Hilchrome 2209	Finox 4462 AC
Jungo 4462	E2209-15	Thermanit 22/09				
Arosta 4462-145	E2209-16*					
Jungo SD2509	E2553-15*					
Jungo Zeron 100X	E2553-15*	Thermanit 25/09CuT (25/09CuW)				
Buffer, Maintenance & Repair Stainless						
Arosta 309S	E309L-16		6824(Lc)	Soudocrom L309L	Hilchrome 309R	Finox 4332 AC
Limarosta 309S	E309L-16*	Thermanit 25/14 EW 309L-17		Supercrom 309L		
Vertarosta 309	E309L-15					
Jungo 309S	E309L-15	Thermanit 25/14 E				
Arosta 309Nb	E309Nb-16*		6824Nb			
Arosta 309Mo	E309MoL-16	Thermanit 23/11 MoZLW	6824MoLc	Soudocrom L309Mo	Hilchrome 309MoR	Finox 4459 AC
Nichroma	E308MoL-16*	Thermanit 20/10W				Finox 4431 AC
Nichroma 160	E309MoL-26*	Thermanit 20/10W 140K		Comet 309(Mo)		
Limarosta 312	E312-16*	Thermanit 30/10W	UTP 65D		Hilchrome 312R	Finox 4337 AC
Arosta 307	E307-16*	Thermanit XW			Hilchrome 307R	Finox 4370 AC / S
Jungo 307	E307-15*	Thermanit X				Finox 4370 B
Reptec 126	E307-26*					
High Temperature Resistant Stainless						
Arosta 304H	E308H-16*	Thermanit ATS 4	UTP 6820			
Arosta 309H	E309-16*	Thermanit D / DW				Finox 4829 AC
Intherma 310	E310-16	Thermanit CW 310-16	UTP 68H		Hilchrome 310R	Finox 4842 AC
Intherma 310B	E310-15*	Thermanit C / CM				Finox 4842 B
Arosta 329		Thermanit L / LW				Finox 4820 AC
NiCro 31/27	E383-16*			Soudocrom S28		
NiCro 32/20	n.a.	Thermanit 21/33				
NiCro 38/25		Thermanit 25/35R				
Nickel Alloys						
NiCro 60/20	E NiCrMo-3	Thermanit 625	UTP 6222Mo		Hilchrome 625	Finox 625
NiCro 70/15	E NiCrFe-2*		UTP 7015Mo			
NiCro 70/15Mn	E NiCrFe-3	Thermanit Nicro 182	UTP 7015		Hilchrome 600	Finox 182
NiCro 70/19	E NiCrFe-2*	Thermanit Nicro 82	UTP 068HH			
NiCroMo 59/23	E NiCrMo-13	Thermanit Nimo C24	UTP 759Kb			
NiCu 70/30	E NiCu-7		UTP 80M		NiCu7	
Nyloid 2	E NiCrMo-6		UTP Soudonel D	Soudonel D		
Nickel 96	E Ni-1		UTP 80Ni			
NiCro 42/25						
NiCro 65/15	E NiCrMo-7	Thermanit Nimo C(W)	UTP 776Kb			
NiCrMo 60/16	E NiCrMo-4					
	E NiCrCoMo-1	Thermanit 617				
Reptec 34						
PvE.2005 Comparison list SS & Ni						

LINCOLN ELECTRIC		SAF	OERLIKON	OERLIKON	ETC	FRO
AWS A5.4						
General Purpose Austenitic Stainless		Air Liquide Welding		Air Liquide Welding		Air Liquide Welding
Arosta 304L	E308L-16	Safinox R 18.8.S / Safgreen 308L	Ultranox 308L	Inox AWL	PH RS 308L	Inox E308L-16
Limarosta 304L	E308L-16*	Safinox R 308L	Supranox 308L		PH RS 308L EW	Inox E308L-17
Vertarosta 304L	E308L-15				PH RS 308L VD	
Jungo 304L	E308L-15	Safinox B CN 308	Basinox 308L		PH BS 308L / LT / VU	Inox E308LT / E308L-15
Limarosta 304L 130	E308L-16*	Safinox 308 HR		Ferrinox 308		Superinox 308
Arosta 316L	E316L-16	Safinox R 18.8.3 S / Safgreen 316L	Supranox 316L	Inox BWL	PH RS 316L	Inox E316L-16
Limarosta 316L	E316L-16*	SafinoxR 316L			PH RS 316L EW	Inox E316L-17
Vertarosta 316L	E316L-15		Vertinox 316L			
Jungo 316L	E316L-15	Safinox B CND 316	Basinox 316L	Inox BWL+	PH RS 316L / LT / VU	Inox E316LT / E316L-15
Limarosta 316L 130	E316L-16*	Safinox 316HR		Ferrinox 316		Superinox 316
Arosta 316LP	E316L-16					
Stabilized Austenitic Stainless Steel						
Arosta 347	E347-16	Safinox R 347	Supranox 347	Inox Aw+Cb	PH RS 347	Inox E347-16
Jungo 347	E347-15	Safinox B CN 347 / R CN 18.8 Nb	Basinox 347		PH BS 347	
Arosta 318	E318-16	Safinox R 318 / R CND 18.8.3 Bn	Supranox 318	Inox Bw+Cb	PH RS 318	
Jungo 318	E318-15		Basinox 318		PH BS 318	
Fully Austenitic Stainless Steel						
Arosta 4439	n.a	Safinox R CND 316BF			PH RS 317	Inox E317-16
Jungo 4439	n.a	Safinox B CND 18.17.5.S				
Jungo 4455	n.a	SAFCRYO			PH BM 316L N	
Jungo 4465	E310Mo*	Safinox R CND 25.20				
Jungo 4500	E385-16*	Safinox R CNDU 20.25.5 S	Basinox 20.25.5 L		PH BS 311 Cu LC H	
Austenitic-Ferritic (Duplex) Stainless						
Arosta 4462	E2209-16*	LEXAL E 22.9.3 N (SV)	LEXAL E 22.9.3 N		PH RS 22.9.3L	LEXAL E22.9.3.N
Jungo 4462	E2209-15					
Arosta 4462-145	E2209-16*	LEXAL E 22.9.3 N HR SV				
Jungo SD2509	E2553-15*					
Jungo Zeron 100X	E2553-15*	LEXAL E 25 10 4 N (SV)				
Buffer, Maintenance & Repair Stainless						
Arosta 309S	E309L-16	Safinox R CN 24.12 / R 24.12 S	Supranox 309L	Supranox 309L	PH RS 309L	Inox E309L-16
Limarosta 309S	E309L-16*	Safinox R 309L			PH RS 309L EW	Inox E309L-17
Vertarosta 309	E309L-15		Vertinox 309MoL			
Jungo 309S	E309L-15	Safinox B CN 309			PH BS 309L	Inox E309L-15
Arosta 309Nb	E309Nb-16*				PH BS 309Cb	Inox E309Nb-15
Arosta 309Mo	E309MoL-16	Safinox R 309 Mo	Supranox 309MoL	Supranox 309MoL	PH BS / RS 309Mo	Inox E309MoL-16
Nichroma	E308MoL-16*	Safinox B Blindage		Panzercord Mo	PH RPS / RPS-B	
Nichroma 160	E309MoL-26*	Supersafdry 24.12 Mo (170%) Safdry 309HR	Ferinox	Ferinox 309 (Mo) L		
		Supersafdry 20.10.3 (170%)				
Limarosta 312	E312-16*	Safinox R 312 / R CN 29.10		Inox 29/9	PH RS 312	Inox E312-16
Arosta 307	E307-16*	Safinox R 307	Citochromax R	Citochromax R		
Jungo 307	E307-15*		Citochromax N	Citochromax N Panzercord Mn	PH BS 307	Inox 307-15
Reptec 126	E307-26*	Supersafdry 20.10 Mn	Citochromax RS			
High Temperature Resistant Stainless						
Arosta 304H	E308H-16*	Safdry B CN 304H			PH RS 308H	Inox E308H
Arosta 309H	E309-16*					
Intherma 310	E310-16	Safinox R 25.20		Inox C	PH RS 310	Inox 310-16
Intherma 310B	E310-15*	Safdry B CN 310	Inox 25/20		PH BS 310	Inox 310-15
Arosta 329						
NiCro 31/27	E383-16*					
NiCro 32/20	n.a.					
NiCro 38/25						
Nickel Alloys						
NiCro 60/20	E NiCrMo-3	Safinel 625				
NiCro 70/15	E NiCrFe-2*	Safinox BCN 75.15 M				
NiCro 70/15Mn	E NiCrFe-3	Safinox B011				
NiCro 70/19	E NiCrFe-2*					
NiCroMo 59/23	E NiCrMo-13					
NiCu 70/30	E NiCu-7	Safinel BN Cu 7			PH NiCu 70-30	
Nyloid 2	E NiCrMo-6	Freezal E Ni 9				
Nickel 96	E Ni-1					
NiCro 42/25						
NiCro 65/15	E NiCrMo-7					
NiCrMo 60/16	E NiCrMo-4					
	E NiCrCoMo-1					
Reptec 34						
PvE.2005 Comparison list SS & Ni						

	AWS A5.4				
General Purpose Austenitic Stainless					
Arosta 304L	E308L-16	OK 61.10	OK 61.33	Ultramet 308L(P)	4316 Ti / 4302 Ti
Limarosta 304L	E308L-16*	OK 61.30		Supermet 308L	19.9.LR
Vertarosta 304L	E308L-15	OK 61.34		Vertamet 308L	
Jungo 304L	E308L-15	OK 61.35		Ultramet B308L/ B308LCF	19.9.LB
Limarosta 304L 130	E308L-16*	OK 61.41			19.9.LRHD
					4316 HL(S)
Arosta 316L	E316L-16	OK 63.10	OK 63.33	Ultramet 316L	4430 Ti / 4403 Ti
Limarosta 316L	E316L-16*	OK 63.30	OK 63.31	Supermet 316L	19.12.3.LR
Vertarosta 316L	E316L-15	OK 63.34		Vertamet 316L	19.12.3.LRV
Jungo 316L	E316L-15	OK 63.35		Ultramet B316L / B316LCF	19.12.3.LB
Limarosta 316L 130	E316L-16*	OK 63.41			19.12.3.LRHD
Arosta 316LP	E316L-16	OK 63.20		Ultramet 316LP	4430 HL(S)
Stabilized Austenitic Stainless Steel					
Arosta 347	E347-16	OK 61.80 / 86	OK 61.81	Ultramet 347 / 347H	19.9.NbR
Jungo 347	E347-15	OK 61.85		Ultramet B347 / B347H	4551 Kb
Arosta 318	E318-16	OK 63.80		Supermet 318	19.12.3.NbR
Jungo 318	E318-15	OK 63.85			4576 Ti
					4576 Kb
Fully Austenitic Stainless Steel					
Arosta 4439	n.a	OK 64.63	OK 64.30	Ultramet 317L	4439 Ti / 4435 Ti
Jungo 4439	n.a	OK 64.65			
Jungo 4455	n.a	OK 69.25		Ultramet B316NF / 316NF	4455 Kb
Jungo 4465	E310Mo*	OK 67.83	BM310Mo-L	Ultramet B310MoLN	25.22.2.LMnB
Jungo 4500	E385-16*	OK 69.33	OK 69.63	Ultramet 904L / B904L	20.25.2.LCuR
					4539 Kb / 4539 Ti
Austenitic-Ferritic (Duplex) Stainless					
Arosta 4462	E2209-16*	OK 67.53	OK 67.50	Ultramet 2205	22.9.3.LR
Jungo 4462	E2209-15	OK 67.55		2205XKS	
Arosta 4462-145	E2209-16*	OK 67.51			
Jungo SD2509	E2553-15*			2507XKS / Ultramet 2507	
Jungo Zeron 100X	E2553-15*	OK 68.55	OK 68.53	Zeron 100XKS	25.10.4.LR
				Supermet 2506Cu / 2507Cu	
Buffer, Maintenance & Repair Stainless					
Arosta 309S	E309L-16	OK 67.66	OK 67.64	Ultramet 309L(P)	4829 Ti
Limarosta 309S	E309L-16*	OK 67.60		Supermet 309L	24.13.LR
Vertarosta 309	E309L-15	OK 67.75		Vertamet 309(Mo)L	
Jungo 309S	E309L-15			Ultramet B309L	4829 Kb
Arosta 309Nb	E309Nb-16*	OK 67.68		Ultramet 309Nb	
Arosta 309Mo	E309MoL-16	OK 67.20	OK 67.70/75	Supermet 309Mo	23.12.3.LR
				Ultramet B309Mo	4829 Mo Ti / 4829 Mo Kb
Nichroma	E308MoL-16*	OK 63.32		Aramet 1	Cronimo Ti
Nichroma 160	E309MoL-26*	OK 67.71	OK 67.72		4829 Mo HL / Cronimo HL
Limarosta 312	E312-16*	OK 68.82	OK 68.81	29.9 Super R	29.9.R
Arosta 307	E307-16*	OK 67.43		19 9 6Mn	18.8.MnR
					4370 Ti
Jungo 307	E307-15*	OK 67.45			4370 Kb
Reptec 126	E307-26*	OK 67.52	OK 67.42	Met Max 307	4370 HL
High Temperature Resistant Stainless					
Arosta 304H	E308H-16*	OK 61.25	OK 61.50	Ultramet 308H / B308H	
Arosta 309H	E309-16*	OK 62.53			22.12.HTR
Intherma 310	E310-16	OK 67.13		25.20 Super R	4842 Ti
Intherma 310B	E310-15*	OK 67.15		Ultramet B310Mn	25.20.B
Arosta 329		OK 68.60			4842 Kb
					4820 Ti
NiCro 31/27	E383-16*				27.31.4.LCuR
NiCro 32/20	n.a.				
NiCro 38/25					
Nickel Alloys					
NiCro 60/20	E NiCrMo-3	OK 92.45		Nimrod 625(KS)	Sanicro 60
NiCro 70/15	E NiCrFe-2*	OK 92.15			
NiCro 70/15Mn	E NiCrFe-3	OK 92.26		Nimrod 182(KS)	Sanicro 71
NiCro 70/19	E NiCrFe-2*				
NiCroMo 59/23	E NiCrMo-13	OK 92.59		Nimrod 59KS	
NiCu 70/30	E NiCu-7	OK 92.86		Nimrod 190	
Nyloid 2	E NiCrMo-6	OK 92.55		Nimrod NCM6	
Nickel 96	E Ni-1	OK 92.05			
NiCro 42/25					
NiCro 65/15	E NiCrMo-7				
NiCrMo 60/16	E NiCrMo-4			Nimrod C276(KS)	
	E NiCrCoMo-1				
Reptec 34		OK 92.35			
PvE.2005 Comparison list SS & Ni					

	AWS A5.4					
General Purpose Austenitic Stainless						
Arosta 304L	E308L-16	TS-308/308L	NC-38 / -38L	RE-ON LAS 304LC	20/10 BC	INOX 308LP
Limarosta 304L	E308L-16*					INOX R 18-8
Vertarosta 304L	E308L-15					
Jungo 304L	E308L-15		NC-38LT			Inox 308B
Limarosta 304L 130	E308L-16*					308 HR
Arosta 316L	E316L-16	TS-316/316L	NC-36 / -36L	RE-ON LAS 316LC	20/10MBC	INOX 316LP
Limarosta 316L	E316L-16*					Inox 316
Vertarosta 316L	E316L-15			RE-ON LAS 316LCV	316 VD	MOLINOX R 18-8
Jungo 316L	E316L-15		NC-36LT			Inox 316B
Limarosta 316L 130	E316L-16*					316 HR
Arosta 316LP	E316L-16					
Stabilized Austenitic Stainless Steel						
Arosta 347	E347-16	TS-347	NC-37 / -37L	RE-ON LAS 347		
Jungo 347	E347-15					
Arosta 318	E318-16	TS-318		RE-ON LAS 318		Inox 318
Jungo 318	E318-15					
Fully Austenitic Stainless Steel						
Arosta 4439	n.a	TS-317/317L	NC-317L			
Jungo 4439	n.a					
Jungo 4455	n.a		NC-136MF			
Jungo 4465	E310Mo*					Inox 310LB
Jungo 4500	E385-16*					Inox 385
Austenitic-Ferritic (Duplex) Stainless						
Arosta 4462	E2209-16*	TS-2209	NC-329M	RE-ON LAS 4462		Inox 2209
Jungo 4462	E2209-15					Inox 2209B
Arosta 4462-145	E2209-16*					Inox 2509MoB
Jungo SD2509	E2553-15*					
Jungo Zeron 100X	E2553-15*					
Buffer, Maintenance & Repair Stainle						
Arosta 309S	E309L-16	TS-309/309L	NC-39 / -39L	RE-ON LAS 309L 691	24/12S	
Limarosta 309S	E309L-16*					FLAMINOX 25.12
Vertarosta 309	E309L-15			RE-ON LAS 691V		
Jungo 309S	E309L-15					
Arosta 309Nb	E309Nb-16*					
Arosta 309Mo	E309MoL-16	TS-309Mo/309MoL	NC 39MoL	RE-ON LAS 309Mo		
Nichroma	E308MoL-16*					Inox 308Mo
Nichroma 160	E309MoL-26*					309MoHR
Limarosta 312	E312-16*	TS-316		RE-ON LAS 781/80 /808	29/9	INOX 29.9
Arosta 307	E307-16*	TS-307 / 307HM		RE-ON LAS 69	307R	FIXINOX R
Jungo 307	E307-15*					307B
Reptec 126	E307-26*			RE-ON LAS 698		18/8Mn
High Temperature Resistant Stainles						
Arosta 304H	E308H-16*		NC-38H			Inox 308HB
Arosta 309H	E309-16*					Inox 2211HT
Intherma 310	E310-16	TS-310		RE-ON LAS 310		25/20R
Intherma 310B	E310-15*					25/20B
Arosta 329						
NiCro 31/27	E383-16*					Inox 383
NiCro 32/20	n.a.					
NiCro 38/25						Inox 25/35H
Nickel Alloys						
NiCro 60/20	E NiCrMo-3	TNM-10	NIC-625			INOX B 625
NiCro 70/15	E NiCrFe-2*	TNC-70B	NIC-70A			INOX B 75.15
NiCro 70/15Mn	E NiCrFe-3	TNC-70C	NIC-703D			
NiCro 70/19	E NiCrFe-2*					
NiCroMo 59/23	E NiCrMo-13					
NiCu 70/30	E NiCu-7	TNC-60				
Nyloid 2	E NiCrMo-6	TNM-9				
Nickel 96	E Ni-1					
NiCro 42/25						
NiCro 65/15	E NiCrMo-7					
NiCrMo 60/16	E NiCrMo-4	TNM-17				
Reptec 34	E NiCrCoMo-1					
PvE.2005 Comparison list SS & Ni						

	AWS A5.4					
General Purpose Austenitic Stainless						
Arosta 304L	E308L-16	AS P-308 L		Lastek 803B	INOX R 19 / 9 NC	KT-JS 308/308L/308EL
Limarosta 304L	E308L-16*			Lastek 803		
Vertarosta 304L	E308L-15					
Jungo 304L	E308L-15					
Limarosta 304L 130	E308L-16*					
Arosta 316L	E316L-16	AS P-316 L		Lastek 804B	INOX R 19 / 12 / 3 NC	KT-JS 316/316L/316ULC
Limarosta 316L	E316L-16*			Lastek 804		
Vertarosta 316L	E316L-15			Lastek 805		
Jungo 316L	E316L-15					
Limarosta 316L 130	E316L-16*	AS P-316 S				
Arosta 316LP	E316L-16					
Stabilized Austenitic Stainless Steel						
Arosta 347	E347-16	AS P-347		Lastek 800	INOX R 19 / 9 Nb	KS-JS 347
Jungo 347	E347-15				INOX B 19 / 9 Nb	
Arosta 318	E318-16	AS P-318 Süper		Lastek 801	INOX R 19 / 12 / 3 Nb	
Jungo 318	E318-15					
Fully Austenitic Stainless Steel						
Arosta 4439	n.a				INOX R 19 / 13 / 4 L	KS-JS 317 / 317L
Jungo 4439	n.a					
Jungo 4455	n.a					
Jungo 4465	E310Mo*					
Jungo 4500	E385-16*			Lastek 8009	INOX R 20 / 25 L	
Austenitic-Ferritic (Duplex) Stainless						
Arosta 4462	E2209-16*				INOX R 22/ 9/ 3 LN	KS-JS 2209
Jungo 4462	E2209-15					
Arosta 4462-145	E2209-16*					
Jungo SD2509	E2553-15*					KS-JS 2553
Jungo Zeron 100X	E2553-15*					KS-JS 2553
Buffer, Maintenance & Repair Stainle						
Arosta 309S	E309L-16				INOX R 25 / 14 NC	KS-JS 309 / 309L
Limarosta 309S	E309L-16*	AS P-309L				
Vertarosta 309	E309L-15					
Jungo 309S	E309L-15					
Arosta 309Nb	E309Nb-16*					
Arosta 309Mo	E309MoL-16			Lastek 809	INOX R 25 / 14 / 3 NC	KS-JS 309Mo / 309MoL
Nichroma	E308MoL-16*	AS P-308Mo			INOX R 20 / 10 / 3	
Nichroma 160	E309MoL-26*			Lastek 8000	INOX R 22 / 12 / 3 Fe	
Limarosta 312	E312-16*	AS P-312	INCO-WELD C	Lastek 85	INOX R 29 / 9	KS-JS 312(Blue)
Arosta 307	E307-16*	AS P 308 Mn		Lastek 807		KS-JS 307
Jungo 307	E307-15*	AS P-307		Lastek 90	INOX B 18 / 8 / 6	
Reptec 126	E307-26*				INOX B 18 / 8 / 6 Fe	
High Temperature Resistant Stainles						
Arosta 304H	E308H-16*					KS-JS 308H
Arosta 309H	E309-16*					
Intherma 310	E310-16	AS P-310 R		Lastek 802	INOX R 25 / 20	KS-JS 310
Intherma 310B	E310-15*	AS P-310 B			INOX B 25 / 20	
Arosta 329				Lastek 806	INOX R 25 / 4 Fe	
NiCro 31/27	E383-16*					
NiCro 32/20	n.a.					
NiCro 38/25						
Nickel Alloys						
NiCro 60/20	E NiCrMo-3		INCONEL WE 112	Lastek 9067		KNi-JNi 60-3
NiCro 70/15	E NiCrFe-2*		INCO-WELD A WE	Lastek 9066		KNi-JNi 70B
NiCro 70/15Mn	E NiCrFe-3		INCONEL WE 182		INOX B 70 / 15	KNi-JNi 70C
NiCro 70/19	E NiCrFe-2*					
NiCroMo 59/23	E NiCrMo-13					
NiCu 70/30	E NiCu-7		MONEL WE 190	Lastek 44		KNi-JNi 60-7
Nyloid 2	E NiCrMo-6					
Nickel 96	E Ni-1		Nickel WE 141			KNi-JNi 96
NiCro 42/25						
NiCro 65/15	E NiCrMo-7					
NiCrMo 60/16	E NiCrMo-4		INCO-WELD C-276 WE	Lastek 98		KNi-JNi 60-4
Reptec 34	E NiCrCoMo-1		INCONEL WE 117			
PvE.2005 Comparison list SS & Ni						